

ALFRESCO KITCHEN

CABINETRY

ABS SERIES

freestanding alfresco kitchen

Construction

- Steel frame: galvanised and powder coated to protect from corrosion
- Steel cabinet and rear panel: galvanised and vinyl wrapped in timber look
- Substrate: PVC board to reduce weight, act as fire insulator, does not attract humidity
- Cladding: 6mm Neolith stone finish, seamless, hard wearing, true to touch, scratch and stain resistant

Warranty

The stone bench carries a warranty of 25 years, underwritten by Neolith. All steel elements carry a warranty of 5 years against material failure. All components carry a warranty of 6 months against production defects.

Cabinetry Made in South Africa

Design

- Assembly: designed to be assembled by two people in under one hour, tools supplied (spanner and allen key)
- Symmetrical design: the unit can be assembled left or right oriented, this means that the BBQ unit can sit on the left or right-hand side of the outdoor kitchen bench
- Dimensions assembled: 2353mmW x 680mmD x 950mmH
- Feet: height adjustable to compensate for uneven floors to +/-50mm
- Colour: benchtop: grey anthracite; timber look finish: dark oak
- Packaging: designed to transport as flat packed unit, in four packs, total weight of 160kg



ALFRESCO KITCHEN

CABINETRY



ABBQPACKI: INCLUDED CABINETRY & APPLIANCES

Cabinetry

• ABS1 - Artusi Alfresco Kitchen (ABS2 available with no sink space)

Standrad Appliance Inclusions

- ABBQ1B Artusi Built-in Gas BBQ (for information, click here)
- ABFLAT Artusi Built-in Gas BBQ Flat Lid ABBQPACK1 (for information, click here)
- ABHOOD Artusi Built-in Gas BBQ Dome Lid ABBQPACK2 (for information, click here)
- AGS411B Artusi Granitek Stone Sink (for information, click here)
- ASM1001B Artusi Mixer Tap (for information, click here)
- ABC1B Artusi Outdoor Bar Fridge (for information, click here)
- For more information on the included Artusi Appliances, visit artusi.com.au
- ABBQPACK2: included Cabinetry (ABS1) & Appliances as mentioned above with ABHOOD BBQ lid
- ABBQPACK3: included Cabinetry (ABS2 no sink space) & Appliances with ABFLAT BBQ lid (no sink space & no sink or tap provided)
- ABBOPACK4: included Cabinetry (ABS2 no sink space) & Appliances with ABHOOD BBQ lid (no sink space & no sink or tap provided)

STANDARD INCLUSION

ALFRESCO

BBQ


ABBQ1B

Built-in Gloss Black BBQ

- Meticulous design with seamless finish
- finished in gloss black enamel
- Automatic Piezo battery ignition with concealed D cell battery compartment
- Interchangeable hotplate configuration for different cooking styles
- 2 x solid east iron removable grill plates
- 1 x cast iron removable flat hotplate
- Anti-warp engineered hotplate
- Hotplate and grills include self locking notches
- Stainless steel burners with flame failure
- Total burner power output 14kW (European tested)
- 1 x removable grease container for oil and residue within the cooking area
- 1 x removable main catcher at the front of the grills with a drain system
- Side control knobs
- Oil/fat reservoir
- Available in natural gas or LPG pre-set

AVAILABLE COMPANION PRODUCTS

- ABHOOD Roasting dome BBQ hood with thermostat
- ABFLAT Slimline Flat BBQ lid
- BBQCOVERH Canvas cover for ABHOOD
- BBQCOVERF Canvas cover for ABFLAT

















Pictured: ABBQ1B built-in barbecue with ABHOOD dome lid





AVAILABLE LIDABHOOD: Roasting dome BBQ hood with thermostat (sold separately)



AVAILABLE LID

ABFLAT: Slimline flat lid (sold separately)

ALFRESCO

BBQ

ABBQM

Built-in Stainless Steel BBQ

- Meticulous design with seamless finish
- AS316 stainless steel (suitable for outdoor and ocean- front environments)
- Automatic Piezo battery ignition with concealed D cell battery compartment
- Painted black BBO interior
- Interchangeable hotplate configuration for different cooking styles
- 2 x solid cast iron removable grill plates
- 1 x cast iron removable flat hotplate
- Anti-warp engineered hotplate
- Hotplate and grills include self locking notches
- Stainless steel burners with flame failure
- Total burner power output 14kW (European tested)
- 1 x removable grease container for oil and residue within the cooking area
- 1 x removable main catcher at the front of the grills with a drain system
- Side control knobs
- Oil/fat reservoir
- Available in natural gas or LPG pre-set

AVAILABLE COMPANION PRODUCTS

- ABBQ304H Roasting dome BBQ hood with thermostat (black interior)
- ABBOMH 316 Stainless steel roasting dome BBQ hood with thermostat
- ABBQMF Slimline Flat BBQ lid
- BBQCOVERH Canvas cover for ABBQMH & ABBQ304H
- BBQCOVERF Canvas cover for ABBQMF
- For technical diagrams please refer to page 78-79
 Power Consumption: D Cell Battery
 Gas Consumption: 52 mj/h (natural gas)
 5/8" connection fitting hose and regulator assembly included





















AVAILABLE LID

ABBQMH: 316 stainless steel hood lid (sold separately)

ABBQ3O4H: 3O4 stainless steel hood lid (sold separately)



AVAILABLE LID

ABBQMF: 316 stainless steel flat lid (sold separately)

STANDARD INCLUSION

ALFRESCO

ABC1B

'Australia's Coldest' Outdoor bar beverage centre

- black glass door (triple glazed),
- black body
- 100 litre internal capacity
- 330ml bottles: 66
- Shelves: 10 interchangeable half depth (5 levels)
- freestanding or under-bench installation
- -5–10°C temperature range
- climate type: T, 43°C ambient
- ventilated cooling, auto defrost
- 3 retractable shelves
- touch controls
- LED lighting
- heated triple glazed glass door
- Brushed black handle moulded onto door frame
- party mode- runs at -5°C & maintains the internal temperature for up to 6 hours
- turbo mode- speeds up the cooling process (gives you 1 hour at -5°C)
- door open alarm

(i) For technical diagrams please refer to page 78-79 10amp power cord

REFRIGERATION













330ML BOTTLES


















ALFRESCO

REFRIGERATION

AOFIS

Back bar beverage centre

- hammered aluminium interior
- stainless steel door
- black weatherproof exterior
- 118 litre internal capacity
- 330ml bottles: 138
- 500ml bottles: 78
- Shelves: 2 (3 levels)
- freestanding or under-bench installation
- 0–10°C temperature range
- climate type: up to 38°C ambient temperature
- ventilated cooling
- auto defrost
- digital touch controls
- LED lighting
- door lock
- spring-loaded self-closing door
- stainless steel door frame & bar handle
- adjustable feet
- withstands high humidity
- UV-safe stainless steel

















SHELF POSITIONS













STANDARD INCLUSION

only available with ABBQPACK 1 & 2

SINKS

WASH

AGS411B

 ${\sf Single\ Bowl\ Sink}$

- Overall size (mm): 410 x 500
- Built-in hole size (mm): 390 x 480
- Bowl base size (mm): 450
- Bowl depth external (mm): 190
- Inset installation
- Anti-bacterial surface
- Waste is 58mm to mixer
- Designer waste plug




FLUSHMOUNT

AVAILABLE ACCESSORIES:

AGBO13O5 - Drain Rack

SINK KIT:

Space saving siphon, waste and pre-mounted hooks, rectangular overflow





STANDARD INCLUSION (BLACK) OPTIONAL change to Chrome (subject to price alteration) only available with ABBQPACK 1 & 2

TAPS

WASH

ASMIOIB OR ASMIOOX

gooseneck mixer tap

- ASM101B: electroplated matt black finish or ASM101X: 304 stainless steel finish
- single lever control
- contemporary design
- swivel spout
- pin handle
- ASM101B: 9L per minute & 3 Star water rating
- ASM101X: 6L per minute & 5 Star water rating
- operating temperature: 1°C 70°C
- 35mm ceramic disk cartridge





OPTIONAL CHANGE (subject to price alteration)

ASM201B OR ASM201X

gooseneck mixer tap with pull out hose

- ASM201B: electroplated matt black finish or ASM201X: 304 stainless steel finish
- electroplated matt black finish
- pull out lever control
- water 'spray' function
- contemporary design
- swivel spout
- pin handle
- operating temperature: 1°C 70°C
- 25mm ceramic disk cartridge
- 4.5 litres per minute
- 6 Star water rating








ALFRESCO

AOF2S

Back bar beverage centre

- hammered aluminium interior
- stainless steel doors
- black weatherproof exterior
- 190 litre internal capacity
- 330ml bottles: 190
- 500ml bottles: 110
- Shelves: 4 (3 levels)
- freestanding or under-bench installation
- 0–10°C temperature range
- climate type: up to 38°C ambient temperature
- ventilated cooling
- auto defrost
- digital touch controls
- LED lighting
- door locks
- spring-loaded self-closing door
- stainless steel door frame & bar handle
- adjustable feet
- withstands high humidity
- UV-safe stainless steel



immonoment in

REFRIGERATION



























ALFRESCO

AOF3S

Back bar beverage centre

- hammered aluminium interior
- stainless steel doors
- black weatherproof exterior
- 307 litre internal capacity
- 330ml bottles: 304
- 500ml bottles: 247
- Shelves: 6 (3 levels)
- freestanding or under-bench installation
- 0–10°C temperature range
- climate type: up to 38°C ambient temperature
- ventilated cooling
- auto defrost
- digital touch controls
- LED lighting
- door locks
- spring-loaded self-closing door
- stainless steel door frame & bar handle
- adjustable feet
- withstands high humidity
- UV-safe stainless steel



REFRIGERATION















18

SHELF POSITIONS











ALFRESCO KITCHEN

BBQ

ACH12BBQ

120cm barbecue range hood

- full stainless steel construction
- dual motors with 3 powerful air extraction speed
- 1000m³/hr airflow from each motors
- two motors: 218W each
- removable stainless steel baffle filters designed for maximum performance and easy cleaning
- 6 x LED lights will perfectly illuminate the cooking area
- wall mount installation
- twin duct outlets (one for each motor) provides maximum performance
- installation kit provided



Minimise grease and smoke when cooking on your barbecue with the Artusi twin-motor range hood. Twin turbo motors combined with a custom-designed ventilation system. Suitable for any size barbecue (up to 120cm wide).

















ALFRESCO KITCHEN

BBQ

ACH12BBQB

120cm barbecue range hood

- 304 Stainless steel with black glass facia
- 2000 m3/h air flow
- Twin 198W full sealed copper motors
- 200mm air outlet diameter
- 3 extraction speeds
- LCD display
- Touch control operation
- 6 x LED cooking lights will perfectly illuminate the cooking area
- AS304 stainless steel baffle filters
- 72 db/A noise level
- Wall mount installation
- Flue height 2 pieces (500mm each)
- For technical diagrams please refer to page 90-92 170cm power cord length 10 AMP plug & lead

Minimise grease and smoke when cooking on your barbecue with the Artusi twin-motor range hood. Twin turbo motors combined with a custom-designed ventilation system. Suitable for any size barbecue (up to 120cm wide).

















ABSI ALFRESCO KITCHEN TECHNICAL DIAGRAM



* includes adjustable feet upto 10mm

ABS2 ALFRESCO KITCHEN TECHNICAL DIAGRAM



^{*} includes adjustable feet upto 10mm

ALFRESCO KITCHEN





FOLLOW US ON:



o instagram.com/artusi_appliances



www.linkedin.com/company/eurolinx-pty-ltd-t-a-ilve/

Australia National Telephone Number 1300 (694 583) New Zealand Telephone Number 64 3 344 5913 Artusi showroom hours: Tuesday to Friday - 9am-5pm, Saturday - 10am-4pm, Sunday and Monday - closed * Melbourne showroom hours: Tuesday to Saturday - 10am-4pm artusi.com.au