


# 6 Fast wash cycles 8 SensorWash 10 Real steel 14 Range features 16 Range 20 Specifications

# We'll take care of the dishes.

Where there's family, friends and food, there's dishes. And let's face it, you've got better things to do than wash up. Which is why for over 60 years Westinghouse has helped Australian families get their kitchens cleaner quicker, so you can get on with the good stuff.

Our practical innovations are about making removing the mess as easy as possible, with technology anyone can use. Our appliances are built to handle everything from a dinner party, to a big family meal, to dinner for one or two. Every dish, every glass, pot and pan are accommodated in adjustable baskets and FlexRack cutlery trays. Giving you a sparkling clean finish.


Whatever your lifestyle, we've got a Westinghouse dishwasher with the features you need, in the style you want.



CONVENIENT

# fast wash cycles

When it comes to doing the dishes you can choose the program that suits you, whether you have a few dishes, half a load or a full load you can choose our Fast 30, Time Saver or Half Load program.\*



WATER SAVING

# SensorWash

Sensing the level of grime on your dishes, our super smart sensor adjusts the water levels and times to ensure the best results.

As well as saving water.\*





STYLISH DESIGN

# real steel

Our dishwashers are available in a dark or natural real stainless steel.\* Creating a stylish new centrepiece in your kitchen that is easy to clean with a fingerprint resistant finish.





# FREESTANDING DISHWASHERS

# features



less dishes use less water

Every home is different, so is every load of dishes. Our FlexZone half-load wash option saves water and energy when you've got less dishes to wash.

# fit things great and small

Every wash load is different. Our FlexRack cutlery tray has got the space for that extra long knife or the awkward pair of tongs, it can also be partially or fully removed, so taller items can fit in your top basket when you need. (WSF6608XA, WSF6608KXA)

## **5** make room for larger items

Those extra large items can now fit with ease in the bottom basket with our height adjustable upper basket. Even if it's fully loaded, it's easily lifted to fit the most awkward item underneath.

# anti-flood for kitchen protection

Sometimes things are out of your control. Our aqua control function is designed to step in when you need it most. The anti-flood device automatically cuts off the water to avoid flooding, ensuring your kitchen is looked after.

# a faster wash, when you need it

When it comes to doing the dishes you can choose the program that suits you, whether you have a few dishes, half a load or a full load you can choose our Fast 30, Time Saver or Half Load program. \*only on selected models

# dinner for 4 or 15, we have you covered

Whether you're entertaining or you've got a very hungry family you'll be glad to know you can really fill a Westinghouse and still get sparkling results. The super generous capacity can handle 15 place settings with ease. (WSF6608XA, WSF6608KXA, WSF6606XA, WSF6606KXA)

### fan dried for a faster finish

Is there anything worse than finding plates in the cupboard not quite dry? And forget waiting for the air to dry your dishes. Fan drying means you can get it all put away, straight away, without waiting with the door open or wiping up. (WSF6608XA, WSF6608KXA)

# clean with Extra Hygiene

Some items need a little extra care. When it comes to cleaning baby products, chopping boards, knives and wooden spoons our Extra Hygiene setting gives you the extra sanitation when you need it most.

















# **RANGE**

# freestanding





60cm freestanding dark stainless steel

dishwasher with 15 place settings

### WSF6608KXA

# 60cm freestanding dark stainless steel

dishwasher with 15 place settings

- LED display with electronic controls
- Quiet 45dB(A) operation
- FlexRack cutlery drawer
- 8 wash programs
- 2 x FlexZone half load options
- Delay Start: 1-24 hours
- Child lock
- Height adjustable upper basket when loaded
- Foldable racks on upper & lower basket
- AquaStop hose plus overflow & leakage protection
- Mark resistant dark stainless steel door



WSF6608XA



Product dimensions: \*820-870H x 598W x 598D (mm)

\*worktop removed





### WSF6606KXA

### 60cm freestanding dark stainless steel dishwasher with 15 place settings

60cm freestanding stainless steel dishwasher with 15 place settings

- LED display with electronic controls
- Quiet 45dB(A) operation
- 6 wash programs
- 2 x FlexZone half load options
- Delay Start: 1-24 hours
- Child lock
- Height adjustable upper basket when loaded
- Foldable racks on lower basket
- AquaStop hose plus overflow & leakage protection
- Mark resistant dark stainless steel door



Product dimensions: \*820-870H x 598W x 598D (mm)

\*worktop removed

# **RANGE**

# freestanding





60cm freestanding white dishwasher

WSF6604WA

with 13 place settings

### WSF6604XA

# 60cm freestanding stainless steel dishwasher with 13 place settings

- Electronic controls
- Quiet 47dB(A) operation
- 6 wash programs
- FlexZone half load option
- Delay Start: 3, 6, or 9 hours
- Child lock
- Height adjustable upper basket
- Foldable racks on lower basket
- AquaStop hose plus overflow & leakage protection
- White door



Product dimensions: \*820-870H x 598W x 598D (mm)

\*worktop removed





### WSF6602XA

# 60cm freestanding stainless steel dishwasher with 13 place settings

- Rotary electronic controls
   Quiet 49dB(A) operation
- ......
- 5 wash programs
- FlexZone half load option
  Delay Start: 3, 6, or 9 hours
- Height adjustable upper basket
- Foldable racks on lower basket
- Overflow & leakage protection
- Mark resistant stainless steel door

### WSF6602WA

60cm freestanding white dishwasher with 13 place settings



Product dimensions: \*820-870H x 598W x 598D (mm)

 $^*$ worktop removed

# **Dishwashers**

# Features<sup>†</sup>



# WSF6608KXA / WSF6608XA WSF6606KXA / WSF6606XA

Туре	60cm Freestanding	60cm Freestanding
Available finish	mark resistant dark stainless steel / stainless steel	mark resistant dark stainless steel , stainless steel
Place settings	15	15
WELS* water star rating	4.5	4.5
Water consumption (litres)	13.5	13.5
Energy star rating	3.5	3.5
Operating noise level dB(A)	45	45
Control type	Electronic push button	Electronic push button
LED Display with electronic controls	Time remaining / LED indicator	Time remaining / LED indicator
features		
FlexRack cutlery tray	Yes	
Upper basket	height adjustable loaded	height adjustable loaded
	4 foldable cup shelves	4 adjustable cup shelves
Lower basket	4 foldable racks	4 fold down racks
Cutlery basket		Modular
Wash programs	8	6
Sensor wash 30°C-70°C (delicate/daily/heavy)	√ √ √	
Eco 50°C	✓	✓
TimeSave 50 mins 65°C	✓	✓
Fast 30 mins 40°C	✓	✓
Prewash	✓	✓
Delicate 40°C		✓
Daily 60°C	✓	
Heavy 65°C		<b>√</b>
Wash options		
FlexZone (half load) wash	upper/lower	upper/lower
Hygiene	<b>√</b>	✓
Dry plus	✓	✓
Rinse Plus	<b>√</b>	<b>√</b>
Tablet	<b>√</b>	<b>√</b>
Favourite	<b>√</b>	<b>√</b>
Delay start	1-24 hours	1-24 hours
Drying system	Fan assist dry	Active dry
Sensors	Soil level	
Number of spray arms	2 + top impeller	2 + top shower
safety		
Lower basket safety stopper	✓	✓
Child lock option	✓	✓
Water safety overflow &	✓	✓
leak protection		
Aqua stop safety hose	✓	<b>V</b>
specification	050 555 555	050 500
Dimension (with worktop) H x W x D (mm)	850 x 598 x598	850 x 598 x598
Dimension (without worktop) H x W x D (mm)	820 x 598 x 598	820 x 598 x 598
Height adjustable (mm)	+ 0 to 20	+ 0 to 20
Removable worktop (for built under installation)	820	820

- ± Built-under Dishwasher needs to be secured under a counter with supplied brackets and screws. Option to integrate the dishwasher behind a cabinetry kick panel if required.
- Freestanding Dishwasher does not need to be secured under a counter. It can remain as a freestanding unit or fit into a cavity. The top panel can be removed if needed to fit under a tight fitting benchtop.
- \* WELS Standard AS/NZS 6400.2005.
- # Water up to 60°C can be used.
- ^ Depth measured to front corner of door, excludes control panel.

# **Dishwashers**

# Features<sup>†</sup>









### WSF6604XA / WSF6604WA

WSF6602XA / WSF6602WA

	WSF6604XA / WSF6604WA	WSF6602XA / WSF6602W
Туре	60cm Freestanding	60cm Freestanding
Available finish	mark resistant stainless steel / white	mark resistant stainless steel / white
Place settings	13	13
WELS* water star rating	4.5	4.5
Water consumption (litres)	11.8	11.8
Energy star rating	3	3
Operating noise level dB(A)	47	49
Control type	Electronic push button	Rotary electronic
Display	LED indicator	LED indicator
features		
FlexRack cutlery tray		
Upper basket	height adjustable	height adjustable
	4 adjustable cup shelves	4 cup shelves
Lower basket	2 fold down racks	2 fold down racks
Cutlery basket	Standard	Standard
Wash programs	6	5
Sensor wash 30°C-70°C (delicate/daily/heavy)		
Eco 50°C	✓	✓
TimeSave 50 mins 65°C	✓	✓
Fast 30 mins 40°C	✓	✓
Prewash	✓	
Delicate 40°C	<b>√</b>	✓
Daily 60°C		
Heavy 65°C	<b>√</b>	✓
Wash options		
FlexZone (half load) wash	upper	upper
Hygiene		
Dry plus		
Rinse Plus		
Tablet	<b>√</b>	
Favourite	<b>√</b>	
Delay start	3, 6, or 9 hours	3, 6, or 9 hours
Drying system	Active dry	Mini active dry
Sensors	<u> </u>	<u> </u>
Number of spray arms	2	2
safety		
Lower basket safety stopper	<b>√</b>	✓
Child lock option	<b>√</b>	
Water safety overflow & leak protection	<b>√</b>	✓
Aqua stop safety hose	✓	
specification		
Dimension (with worktop) H x W x D (mm)	850 x 598 x 598	850 x 598 x 598
Dimension (without worktop) H x W x D (mm)	820 x 598 x 598	820 x 598 x 598
Height adjustable (mm)	+ 0 to 20	+ 0 to 20
Removable worktop (for built under installation)	820	820
Maker inlet cald as bot (near COSC)	/	

<sup>±</sup> Built-under - Dishwasher needs to be secured under a counter with supplied brackets and screws. Option to integrate the dishwasher behind a cabinetry kick panel if required.

Water inlet cold or hot (max 60°C)

Freestanding - Dishwasher does not need to be secured under a counter. It can remain as a freestanding unit or fit into a cavity. The top panel can be removed if needed to fit under a tight fitting benchtop.

<sup>\*</sup> WELS Standard AS/NZS 6400.2005.

<sup>#</sup> Water up to 60°C can be used.

^ Depth measured to front corner of door, excludes control panel.



For more information on all Westinghouse appliances, or for dimension and installation information, call into your retailer, phone or email our customer care team or visit our website:

### **AUSTRALIA**

phone: 13 13 49

email: customercare@electrolux.com.au

web: westinghouse.com.au

### **NEW ZEALAND**

phone: 0800 10 66 10

email: customercare@electrolux.co.nz

web: westinghouse.co.nz



We invite you to follow Westinghouse appliances and get involved in the conversation.

### Warranty

Electrolux Home Products Pty Ltd and Electrolux (NZ) Limited (collectively Electrolux) warrants that for domestic applications the Appliances featured in this brochure are free from defects in materials and workmanship for 2 years, an additional 3 year warranty is also provided for domestic applications only to cover replacement of parts only for the sealed refrigeration system, and warrants that for featured accessories a period of 12 months, following the date of original purchase and subject to the conditions set out in the warranty card accompanying the product when purchased. This warranty is in addition to the other rights and warranties you may have under the Australian Consumer Law (ACL) and Electrolux will at all times comply with its obligations at law including the ACL. For New Zealand customers Electrolux will at all times comply with its obligations pursuant to law including the Consumer Guarantees Act, the Sale of Goods Act and the FairTrading Act. Where appliances are purchased in NZ for commercial purposes the Consumer Guarantees Act does not apply.

### † Product information

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Electrolux will at all times comply with its obligations pursuant to law. Colours of products illustrated are as close as printing limitations allow.